



Ace Pneumatics Pvt. Ltd.

PNEUMATICS CHISEL Contractor Tools & Steels



ACE PNEUMATICS

LONG - LASTING, PRODUCTIVE &
AFFORDABLE PRODUCTS FOR YOU !

POWER
TECHNOLOGY
AND TRUST

www.acepneumatics.com

INDEX

SR. NO.	CONTENTS	PAGE NO.
1	About Us	2
2	Breaker Tools/Chisel -Hex Shank 22mm - 32mm	3 - 9
3	Chipping Hammer Tools/Chisels 0.580 - 0.680	10 - 13
4	Rivet Buster Tools/Chisel Standard & Jumbo 24 x28	14
5	Rivet Buster Snaps	16
6	Weld Flux Chipper Chisels	17
7	Pick Hammer Chisels	18 - 20
8	ROTARY DRILL (Plughole Drills/Small Rotary Drills. Rotary Hammers)	21
9	Safety Tips & Warnings	22
10	Warranty	23
11	Notes	24



For over 3 decade Ace Pneumatics Pvt. Ltd. has been manufacturing tools(chisels) used with pneumatic, hydraulic and electrically powered hammers & breakers. We have been producing equipment at the competitive price.

We offer a wide range of constructor tools (Pneumatic Chisel) and accessories through our in house state -of-art manufacturing facility in Ahmednagar, India with the latest equipment including VMC, HMC, CNC, Multi-Station Broaching, Forging Machine, CNC Grinding, Shot Blasting, Heat treatment & laser marking machine.

Our contractor tools (Pneumatic Chisel) are made from best raw materials and heat treatment that result is a high-end product with the characteristics of hardness and wear resistance that provides maximum durability in various applications.



3/4" X 3 1/4" (19 X 82.5 MM) SQUARE SHANK CHISEL




Image	Description	Part No	OEM Ref No	Width		Working Length (L)		Total Length		Weight	
				mm	inch	mm	inch	mm	inch	kg	lb
	Moil Point	19825 - MP - 13	3083 4170 00			330	13	420	17	1.4	3.1
	Narrow Chisel	19825 - CP - 13	3083 4170 10			330	13	420	17	1.4	3.1
	Clay Spade (Digger Cutter)	19825-CP-CD-100	3083 4170 20	100	4"	330	13	420	17	3.1	6.5
		19825-CP-CD-125	3083 4170 30	125	5"	14	360	450	18	3.5	7.7

Ace paving breaker chiesel **3/4" X 3 1/4" (19 X 82.5 mm) Square Shank** Chiesels are suitable for CP FL 0022, Ace CDFL 22 Clay Digger.

7/8" X 3-1/4" (22 X 82.5 MM) HEX SHANK CHISELS




Image	Description	Part No	OEM Ref No	Height		Width		Working Length (L)		Total Length		Weight	
				mm	inch	mm	inch	mm	inch	mm	inch	kg	lb
	Moil Point	22825 - MP - 15	3083 3242 00					380	15	457	18	1.5	3.9
		22825 - MP - 18	3083 4050 10					457	18	533	21	1.9	4
		22825 - MP - 21						533	21	610	24	2.1	4.6
		22825 - MP - 24	3083 4050 20					610	24	711	28	2.3	5.1
		22825 - MP - 27						685	27	762	30	2.7	5.9
		22825 - MP - 32						812	32	889	35	3.2	7
		22825 - MP - 36	3083 4050 30					914	36	1016	40	3.3	7.3
		22825 - MP - 42						1066	42	1143	45	4.2	9
	Narrow Chisel	22825 - CP - 15	3083 3244 00			25	1"	380	15	457	18	1.5	3.9
		22825 - CP - 18	3083 4051 10			25	1"	457	18	533	21	1.9	4
		22825 - CP - 21				25	1"	533	21	610	24	2.1	4.6
		22825 - CP - 24	3083 3304 00			25	1"	610	24	711	28	2.3	5
		22825 - CP - 27				25	1"	685	27	762	30	2.7	5.9
		22825 - CP - 32				25	1"	812	32	889	35	3.2	7
		22825 - CP - 36	3083 4051 30			25	1"	914	36	1016	40	3.3	7.3
		22825 - CP - 42				25	1"	1066	42	1143	45	4.2	9
	Wide Chisel	22825 -CP-WC-15		30	1 1/4"	75	3"	380	15	457	18	1.8	3.9
		22825 -CP-WC-18	3083 4052 10, 3083 3247 00	30	1 1/4"	75	3"	457	18	533	21	2.4	4
		22825 -CP-WC-24	3083 4052 20	30	1 1/4"	75	3"	610	24	711	28	2.7	6
		22825 -CP-WC-36	3083 4052 30	30	1 1/4"	75	3"	914	36	1016	40	3.6	8
	Asphalt Cutter (Termac Cutter)	22825 -CP-AC-12		150	6"	125	5"	310	12	380	15	3	6.5
		22825 -CP-AC-15	3083 4053 00, 3083 3069 00	150	6"	125	5"	380	15	457	18	3.5	7.7
		22825 -CP-AC-13	3083 3307 00	190	7 1/2"	120	4 3/4"	330	13	405	16	3.6	8

Ace paving breaker chisel 7/8" X 3-1/4" (22 X 82.5 mm) HEX Shank Chisels are suitable for Atlas Copco Tex 09PS, CP 0222 CHIT, CP 0014 RR, CP 0014 RRBS , ACE CD222 ,ACE SD0014RR , Ingersoll Rand DT13TL1, DT9TL1 93A1M, 93LA1 93LA1M , MCDONALD 1114S, 1615 ,Toku TCD-20.

1" X 4-1/4" (25 X 108 MM) HEX SHANK CHISELS




Image	Description	Part No	OEM Ref No	Height		Width		Working Length (L)		Total Length		Weight		
				mm	inch	mm	inch	mm	inch	mm	inch	kg	lb	
	Moil Point	25108 - MP - 10						254	10	463	14	1.9	4.1	
		25108 - MP - 14						352	14	460	18	2	4.4	
		25108 - MP - 16	3083 3253 00						400	16	508	20	2.1	4.6
		25108 - MP - 17							430	17	538	21	2.3	5
		25108 - MP - 20							510	20	618	24	2.7	5.9
		25108 - MP - 26							660	26	786	30	3.5	7.7
		25108 - MP - 28							711	28	819	32	3.7	8.1
		25108 - MP - 40							1066	40	1124	44	5.4	11.9
	Narrow Chisel	25108 - CP - 10				29	1 1/8"	254	10	463	14	1.9	4.1	
		25108 - CP - 14	3083 3254 00				29	1 1/8"	352	14	460	18	2	4.4
		25108 - CP - 16					29	1 1/8"	400	16	508	20	2.1	4.6
		25108 - CP - 17					29	1 1/8"	430	17	538	21	2.3	5
		25108 - CP - 20					29	1 1/8"	510	20	618	24	2.7	5.9
		25108 - CP - 26					29	1 1/8"	660	26	768	30	3.5	7.7
		25108 - CP - 28					29	1 1/8"	711	28	819	32	3.7	8.1
		25108 - CP - 40					29	1 1/8"	1016	40	1124	44	5.4	11.9
	Wide Chisel	25108 -CP-WC-14					75	3"	352	14	460	18	2.3	5
		25108 -CP-WC-15	3083 3255 00					75	3"	380	15	500	20	2.3
	Asphalt Cutter (Termac Cutter)	25108 -CP-AC-10		140	5 1/2"	115	4 1/2"	250	10	463	14	3.5	7.7	
		25108 -CP-AC-15	3083 3257 00	140	5 1/2"	120	4 1/2"	380	15	500	20	3.5	7.7	
	Digger Cutter (Termac Cutter)	25108-CP-AC-12		230	9"	75	3"	430	17	550	22	3.3	7.2	
		25108 -CP-AC-15	3083 3293 00	230	9"	125	5"	430	17	550	22	3.3	7.2	
		25108 -CP-AC-13	3083 3033 00	230	9"	140	5.6"	430	17	550	22	3.3	7.2	

Ace paving breaker chisel **1" X 4-1/4" (25 X 108 mm) HEX Shank** Chisels are suitable for TEX P14 / P15 / P18 / P19 / P22 / P23, TEX 18H / 19HE / 22H / 23HE CP 1210 ,CP 0112 ,ACE 112 , ACE 1210 , Ingersoll Rand PB35AT, PB35AST PB50AT, PB50AST DT13TL2, DT10D2L ,Macdonald 16S, 2615 , TOKU TCD-30, TPB-30 TPB-40.

1 1/8" X 6" (28X152) HEX SHANK CHISELS




Image	Description	Part No	Height		Width		Working Length (L)		Total Length		Weight	
			mm	inch	mm	inch	mm	inch	mm	inch	Kg	Lb
	Moil Point	28152 - MP - 15					380	15	545	21	2.9	6.4
		28152 - MP - 18					460	18	600	24	3.3	7
		28152 - MP - 24					610	24	770	30	4.2	9.2
		28152 - MP - 30					760	30	920	36	6.4	14
		28152 - MP - 39					1000	39	1160	45	7.5	16.5
		28152 - MP - 42					1064	42	1224	48	9	19.5
	Narrow Chisel	28152 - CP - 12			32	1 1/4"	300	12	460	18	2.6	6
		28152 - CP - 15			32	1 1/4"	380	15	545	21	2.9	6.4
		28152 - CP - 18			32	1 1/4"	460	18	600	24	3.3	7
		28152 - CP - 24			32	1 1/4"	610	24	760	30	4.2	9.2
		28152 - CP - 30			32	1 1/4"	760	30	920	36	6.4	14
		28152 - CP - 39			32	1 1/4"	1000	39	1160	45	7.5	16.5
		28152 - CP - 42			32	1 1/4"	1064	42	1224	48	9	19.5
	Wide Chisel	28152 - CP-WC - 15	50	2"	75	3"	380	15	545	21	3.3	7
		28152 - CP-WC - 18	50	2"	75	3"	450	18	600	24	3.8	8.3
	Asphalt Cutter (Tarmac Cutter)	28152 - CP-AC -300	140	5 1/2"	115	4 1/2"	300	12	460	18	3.6	8
		28152 - CP-AC -250	140	5 1/2"	115	4 1/2"	250	10	410	16	3.7	8.1
	Digger Cutter	28152-CP-DC-75-12	230	9"	75	3"	300	12	460	18	3.8	8.3
		28152-CP-DC-140-15	230	9"	140	5 1/2"	380	15	545	21	5.4	12

Ace paving breaker chisel **1 1/8" X 6" (28 X 152 mm) Hex Shank Chisels** are suitable for CP 1210 S , CP 1210 SVR ,CP 1230 , CP 1230 S, CP 1230 SVR , CP 1240 , ACE PB117,ACE PB1210, ACE PB1230 ,ACE PB1240 ,ATLAS COPCO TEX18PS, TEX22PS ,INGERSOLL RAND PB50AT1, PB50AST1 MX60T1, MX60ST1, MX90T2, MX90ST2 ,MCDONALD AIR TOOLS 39S, 28S, 25S.

1 1/8" X 6 1/4" (28 X 160 MM) HEX SHANK CHISELS






Image	Description	Part No	OEM Ref No	Height		Width		Working Length (L)		Total Length		Weight		
				mm	inch	mm	inch	mm	inch	mm	inch	kg	lb	
	Moil Point	28160 - MP - 12						300	12	460	18	2.6	6	
		28160 - MP - 15	3083 3271 00					380	15	545	21	2.9	6.4	
		28160 - MP - 18	3083 3272 00					460	18	600	24	3.3	7	
		28160- MP - 24						610	24	770	30	4.2	9.2	
		28160- MP - 30						760	30	920	36	6.4	14	
		28160 - MP - 39	3083 3273 00					1000	39	1160	45	7.5	16.5	
		28160 - MP - 42						1064	42	1224	48	9	19.5	
	Narrow Chisel	28160 - CP - 12				32	1 1/4"	300	12	460	18	2.6	6	
		28160- CP - 15	3083 3274 00				32	1 1/4"	380	15	545	21	2.9	6.4
		28160 - CP - 18	3083 3275 00				32	1 1/4"	460	18	600	24	3.3	7
		28160 - CP - 24					32	1 1/4"	610	24	770	30	4.2	9.2
		28160 - CP - 30					32	1 1/4"	760	30	920	36	6.4	14
		28160- CP -39	3083 3276 00				32	1 1/4"	1000	39	1160	45	7.5	16.5
	Wide Chisel	28160 -CP-WC-15	3083 3277 00			75	3"	380	15	545	21	3.3	7	
		28160 -CP-WC-18				75	3"	450	18	600	24	3.8	8.3	
	Asphalt Cutter (Termac Cutter)	28160 -CP-AC-300	3083 3278 00	140	5 1/2"	115	4 1/2"	300	12	460	18	3.6	8	
		28160 -CP-AC-250			140	5 1/2"	115	4 1/2"	250	10	410	16	3.7	8.1
	Digger Cutter	28160-CP-DC-75-12		230	9"	75	3"	300	12	460	18	3.8	8.3	
		25108 -CP-DC-140-15	3083 3281 00	230	9"	140	5 1/2"	380	15	545	21	5.4	12	

Ace paving breaker chisel **1 1/8" X 6 1/4" (28 X 160 mm) HEX Shank** Chisels are suitable for CP 1210 S , CP 1210 SVR , CP 1230 , CP 1230 S, CP 1230 SVR , CP 1230 , CP 1240 , ACE PB117, ACE PB1210, ACE PB1230 , ACE PB1240 , ATLAS COPCO TEX18PS, TEX22PS , INGERSOLL RAND PB50AT1, PB50AST1 MX60T1, MX60ST1 , MX90T2, MX90ST2 , MCDONALD AIR TOOLS 39S, 28S, 25S.

1 1/4" X 6" (32 X 152 MM) HEX SHANK CHISELS




Image	Description	Part No	OEM Ref No	Height		Width		Working Length (L)		Total Length		Weight	
				mm	inch	mm	inch	mm	inch	mm	inch	kg	lb
	Moil Point	32152-MP-14	3083 3285 00					355	14	515	20	3.5	7.7
		32152-MP-18	3083 3285 10					450	18	610	24	4	8.8
		32152-MP-24	3083 3285 20					610	24	770	30	5	11
		32152-MP-36	3083 3285 30					915	36	1075	42	7.2	15.4
	Narrow Chisel	32152-CP-14	3083 3286 00			35	1 3/8"	355	14	515	20	3.5	7.7
		32152-CP-18	3083 4001 10			35	1 3/8"	450	18	610	24	4	8.8
		32152-CP-24	3083 4001 20			35	1 3/8"	610	24	770	30	5	11
		32152-CP-36	3083 4001 30			35	1 3/8"	915	36	1075	42	7.2	15.4
	Wide Chisel	32152-CP-WC-15	3083 3295 00	50	2"	75	3"	380	15	540	21	4	8.8
		32152-CP-WC-18	3083 4002 00	50	2"	75	3"	450	18	610	24	4.5	9.9
		32152-CP-WC-24	3083 4002 10	50	2"	75	3"	610	24	770	30	5.8	12.7
	Asphalt Cutter (Termac Cutter)	32152-CP-AC-300	3083 3296 00	150	6"	125	5"	330	13	490	19	4	8.8
		32152-CP-AC-250	3083 4004 00	125	5"	115	4.5"	305	12	465	18	3.7	8.1
	Digger Cutter	32152-CP-DC-140-15	3083 3299 00	230	9"	140	5.4"	380	15	540	21	5.5	12.1

Ace paving breaker chisel **1 1/4" X 6" (32 X 152 mm) HEX Shank** Chisels are suitable for CP 1210 S , CP 1210 SVR , CP 1230 , CP 1230 S, CP 1230 SVR , CP 1230 , CP 1240 , ACE 117,ACE 1210, ACE 1230 ,ACE 1240.

1 1/4" X 6 1/4" (32X160) HEX SHANK CHISELS




Image	Description	Part No	OEM Ref No	Height		Width		Working Length (L)		Total Length		Weight	
				mm	inch	mm	inch	mm	inch	mm	inch	kg	lb
	Moil Point	32160 - MP - 12						300	12	457	18	3	6.6
		32160 - MP - 15	3083 3205 00					380	15	545	21	3.3	7.3
		32160 - MP - 18	3083 3206 00					450	18	615	24	4	8.8
		32160 - MP - 24						610	24	762	30	5	11
		32160 - MP - 30						760	30	914	36	6	13.5
		32160 - MP - 39	3083 3207 00					1000	39	1165	46	7.6	16.7
		32160 - MP - 42						1064	42	1219	48	10.5	29
	Narrow Chisel	32160 - CP - 12				35	1 3/8"	300	12	457	18	3	6.6
		32160 - CP - 15	3083 3208 00			35	1 3/8"	380	15	545	21	3.5	7.3
		32160 - CP - 18	3083 3209 00			35	1 3/8"	460	18	615	24	4	8.8
		32160 - CP - 24				35	1 3/8"	610	24	762	30	5	11
		32160 - CP - 30				35	1 3/8"	760	30	914	36	6	13.3
		32160 - CP - 42				35	1 3/8"	1064	42	1219	48	10.5	29
	Wide Chisel	32160 - CP-WC -12		50	2"	75	3"	300	12	457	18	3	6.6
		32160 - CP-WC -15	3083 3211 00	50	2"	75	3"	380	15	545	21	3.7	8
	Asphalt Cutter (Tarmac Cutter)	32160 - CP-AC -115	3083 3278 00	140	5 1/2"	115	4 1/2"	300	12	457	18	4	8.8
	Digger Cutter	32160 -CP-DC-75		230	9"	75	3"	350	14	508	20	4.7	10
		32160 -CP-DC-140	3083 3281 00	230	9"	140	5 1/2"	380	15	545	21	5.4	11.9

Ace paving breaker chisel **1 1/4" X 6 1/4" (32x160)** Hex Shank Chisels are suitable for ATLAS COPCO TEX22PS, TEX27PS, TEX32PS, TEX39PS, ACE Pb117, ACE PB1210, ACE PB1230, ACE PB1240, ACE PB777, CP 1230, CP 117, CP 1240, INGERSOLL RAND PB50AT2, PB50AST2, MX60T2, MX60ST2, MX90T2, MX90ST2, MCDONALD 39S, 28S, 25S, toku TPB-60, TPB-751, TPB-752, TPB-90.

CHIPPING HAMMER CHISEL



17.3 mm (0.680 ") ROUND SHANK OVAL COLLAR




Image	Description	Part No	Ref Part No	Height		Width		Working Length		Total Length		Weight	
				mm	inch	mm	inch	mm	inch	mm	inch	Kg	Lb
	Blunt Point	RS20680-BL-OC-9						158	6	229	9	0.6	1.25
		RS20680-BL-OC-12	3083 4105 10					233	9	304	12	0.7	1.5
		RS20680-BL-OC-18						386	15	457	18	1.2	2.5
		RS20680-BL-OC-24						537	21	608	24	1.5	3.25
		RS20680-BL-OC-30						590	23	661	30	2.2	4.5
		RS20680-BL-OC-36						843	33	914	36	2.5	5.1
	Moil Point	RS20680-MP-OC-9	3083 4100 00					158	6	229	9	0.6	1.25
		RS20680-MP-OC-12	3083 4100 10					233	9	304	12	0.7	1.5
		RS20680-MP-OC-18	3083 4100 20					386	15	457	18	1.2	2.5
		RS20680-MP-OC-24	3083 4100 30					537	21	608	24	1.5	3.25
		RS20680-MP-OC-30						590	23	661	30	2.2	4.5
		RS20680-MP-OC-36	3083 4100 40					843	33	914	36	2.5	5.1
	Narrow Chisel	RS20680-CP-OC-9	3083 4101 00			25	1"	158	6	229	9	0.6	1.25
		RS20680-CP-OC-12	3083 4101 10			25	1"	233	9	304	12	0.7	1.5
		RS20680-CP-OC-18	3083 4101 20			25	1"	386	15	457	18	1.2	2.5
		RS20680-CP-OC-24	3083 4101 30			25	1"	537	21	608	24	1.5	3.25
		RS20680-CP-OC-30				25	1"	590	23	661	30	2.2	4.5
		RS20680-CP-OC-36	3083 4120 40			25	1"	843	33	914	36	2.5	5.1
	Wide Chisel	RS20680-SC-OC-9	3083 4102 00	64	2.5"	38	1.5"	158	6	229	9	0.6	1.25
		RS20680-SC-OC-12	3083 4102 10	64	2.5"	38	1.5"	233	9	304	12	0.7	1.5

Ace Chipping Hammer Steel **0.680 ROUND SHANK OVAL COLLAR** Chisels are suitable for ACE 4123, ACE 4125, ACE 4130TEX 317, Tex 318, Tex 419, CP 4123, CP 4125, CP 4130.

17.3 mm (0.680") ROUND SHANK ROUND COLLAR




Image	Description	Part No	Ref Part No	Height		Width		Working Length		Total Length		Weight		
				mm	inch	mm	inch	mm	inch	mm	inch	kg	lb	
	Blunt Point	RS20680-BL-RC-9						158	6	229	9	0.6	1.25	
		RS20680-BL-RC-12						233	9	304	12	0.7	1.5	
		RS20680-BL-RC-18							386	15	457	18	1.2	2.5
		RS20680-BL-RC-24							537	21	608	24	1.5	3.25
		RS20680-BL-RC-30							590	23	661	30	2.2	4.5
		RS20680-BL-RC-36							843	33	914	36	2.5	5.1
	Moil Point	RS20680-MP-RC-9	3083 4110 00					158	6	229	9	0.6	1.25	
		RS20680-MP-RC-12	3083 4110 10					233	9	304	12	0.7	1.5	
		RS20680-MP-RC-18	3083 4110 20						386	15	457	18	1.2	2.5
		RS20680-MP-RC-24	3083 4110 30						537	21	608	24	1.5	3.25
		RS20680-MP-RC-30							590	23	661	30	2.2	4.5
		RS20680-MP-RC-36	3083 4110 40						843	33	914	36	2.5	5.1
	Narrow Chisel	RS20680-CP-RC-9	3083 4111 00			25	1"	158	6	229	9	0.6	1.25	
		RS20680-CP-RC-12	3083 4111 10			25	1"	233	9	304	12	0.7	1.5	
		RS20680-CP-RC-18	3083 4111 20			25	1"	386	15	457	18	1.2	2.5	
		RS20680-CP-RC-24	3083 4111 30			25	1"	537	21	608	24	1.5	3.25	
		RS20680-CP-RC-30				25	1"	590	23	661	30	2.2	4.5	
		RS20680-CP-RC-36	3083 4111 40			25	1"	843	33	914	36	2.5	5.1	
	Wide Chisel	RS20680-SC-RC-36	3083 411 260	64	2.5"	38	1.5"	158	6	229	9	0.6	1.25	
		RS20680-SC-RC-36	3083 4112 70	64	2.5"	38	1.5"	233	9	304	12	0.7	1.5	

Ace Chipping Hammer Steel **0.680 ROUND SHANK ROUND COLLAR** Chisels are suitable for ACE 4123, ACE 4125, ACE 4130TEX 317, Tex 318, Tex 419, CP 4123, CP 4125, CP 4130.

14.7 mm (0.580") HEX SHANK OVAL COLLAR




Image	Description	Part No	Ref Part No	Height		Width		Working Length		Total Length		Weight		
				mm	inch	mm	inch	mm	inch	mm	inch	kg	lb	
	Blunt Point	19580-PNB-OC-6	3088 4125 00					81	3	152	6	0.4	0.8	
		19580-PNB-OC-8						132	5	203	8	0.5	1	
		19580-PNB-OC-9						158	6	229	9	0.6	1.25	
		19580-PNB-OC-10						183	7	254	10	0.7	1.4	
		19580-PNB-OC-12						234	9	305	12	0.7	1.5	
		19580-PNB-OC-16						335	13	406	16	1	2	
		19580-PNB-OC-18						379	15	450	18	1.1	2.42	
	Moil Point	19580-PNM-OC-6						81	3	152	6	0.4	0.8	
		19580-PNM-OC-8						132	5	203	8	0.5	1	
		19580-PNM-OC-9	3083 4120 00					158	6	229	9	0.6	1.25	
		19580-PNM-OC-10						183	7	254	10	0.7	1.4	
		19580-PNM-OC-12	3083 4120 10					234	9	305	12	0.7	1.5	
		19580-PNM-OC-16						335	13	406	16	1	2	
		19580-PNM-OC-18	3083 4120 20					379	15	450	18	1.1	2.42	
19580-PNM-OC-24	3083 4120 30					539	21	610	24	1.6	3.5			
	Narrow Chisel	19580-PNC-OC-6				25	1"	81	3	152	6	0.4	0.8	
		19580-PNC-OC-8				25	1"	132	5	203	8	0.5	1	
		19580-PNC-OC-9	3083 4121 00				25	1"	158	6	229	9	0.6	1.25
		19580-PNC-OC-10					25	1"	183	7	254	10	0.7	1.4
		19580-PNC-OC-12	3083 4121 10				25	1"	234	9	305	12	0.7	1.5
		19580-PNC-OC-16					25	1"	335	13	406	16	1	2
		19580-PNC-OC-18	3083 4121 20				25	1"	379	15	450	18	1.1	2.42
19580-PNC-OC-24	3083 4121 30				25	1"	539	21	610	24	1.6	3.5		
	Wide Chisel	19580-PNSC-OC-9	3083 4122 00	64	2.5"	38	1.5"	158	6	229	9	0.6	1.25	
		19580-PNSC-OC-12	3083 4122 10	64	2.5"	38	1.5"	234	9	305	12	0.7	1.5	
		19580-PNSC-OC-18	3083 4122 20	64	2.5"	38	1.5"	380	15	450	18	1	2.2	

Ace Chipping Hammer Steel **0.580 HEX SHANK OVAL COLLAR** Chisels are suitable for ACE 4123, ACE 4125, ACE 4130TEX 317, Tex 318, Tex 419, CP 4123, CP 4125, CP 4130.

14.7 mm (0.580") HEX SHANK ROUND COLLAR




Image	Description	Part No	Ref Part No	Height		Width		Working Length		Total Length		Weight		
				mm	inch	mm	inch	mm	inch	mm	inch	kg	lb	
	Blunt Point	19580-PNB-RC-6						81	3	152	6	0.4	0.8	
		19580-PNB-RC-8						132	5	203	8	0.5	1	
		19580-PNB-RC-9						158	6	229	9	0.6	1.25	
		19580-PNB-RC-10						183	7	254	10	0.7	1.4	
		19580-PNB-RC-12						234	9	305	12	0.8	1.6	
		19580-PNB-RC-16						335	13	406	16	1	2	
		19580-PNB-RC-18						379	15	450	18	1.1	2.42	
	Moil Point	19580-PNM-RC-6						81	3	152	6	0.4	0.8	
		19580-PNM-RC-8						132	5	203	8	0.5	1	
		19580-PNM-RC-9	3083 4130 00					158	6	229	9	0.6	1.25	
		19580-PNM-RC-10						183	7	254	10	0.7	1.4	
		19580-PNM-RC-12	3083 4130 10					234	9	305	12	0.7	1.5	
		19580-PNM-RC-16						335	13	406	16	1	2	
		19580-PNM-RC-18	3083 4130 20					379	15	450	18	1.1	2.42	
19580-PNM-RC-24	3083 4130 30					539	21	610	24	1.6	3.5			
	Narrow Chisel	19580-PNC-RC-6				25	1"	81	3	152	6	0.4	0.8	
		19580-PNC-RC-8				25	1"	132	5	203	8	0.5	1	
		19580-PNC-RC-9	3083 4131 00				25	1"	158	6	229	9	0.6	1.25
		19580-PNC-RC-10					25	1"	183	7	254	10	0.7	1.4
		19580-PNC-RC-12	3083 4131 10				25	1"	234	9	305	12	0.7	1.5
		19580-PNC-RC-16					25	1"	335	13	406	16	1	2
		19580-PNC-RC-24	3083 4121 30				25	1"	539	21	610	24	1.6	3.5
	Wide Chisel	19580-PNSC-RC-9	3083 4132 00	64	2.5"	38	1.5"	158	6	229	9	0.6	1.25	
		19580-PNSC-RC-12	3083 4132 10	64	2.5"	38	1.5"	234	9	305	12	0.7	1.5	

Ace Chipping Hammer Steel **0.580 HEX SHANK ROUND COLLAR** Chisels are suitable for ACE 4123, ACE 4125, ACE 4130TEX 317, Tex 318, Tex 419, CP 4123, CP 4125, CP 4130.

RIVET BUSTER TOOL



STANDARD RIVET BUSTER TOOL



Image	Description	Part No	Ref Part No	Width		Working Length		Total Length		Weight	
				mm	inch	mm	inch	mm	inch	kg	lb
	Tapred SHANK Round Blank Chisel Point	2428-SHRBL-9				101	4	229	9	0.6	1.25
		2428-SHRBL-10				145	5 3/4"	305	10	0.7	1.5
		2428-SHRBL-12				195	7 3/4"	304	12	0.9	1.9
		2428-SHRBL-18				340	13	457	18	1.2	2.5
	Tapred SHANK Moil Point	2428-SHRMP-9				101	4	229	9	0.6	1.25
		2428-SHRMP-10				145	5 3/4"	305	10	0.7	1.5
		2428-SHRMP-12				195	7 3/4"	304	12	0.9	1.9
		2428-SHRMP-18				340	13	457	18	1.2	2.5
	Tapred Shank Narrow Chisel	2428-SHRCP-9				101	4	229	9	0.6	1.25
		2428-SHRCP-10				145	5 3/4"	305	10	0.7	1.5
		2428-SHRCP-12				195	7 3/4"	304	12	0.9	1.9
		2428-SHRCP-18				340	13	457	18	1.2	2.5
	Tapred Shank Wide Chisel	2428-SHRBWC-9		50	2"	101	4	229	9	0.6	1.25
		2428-SHRBWC-10		50	2"	145	5 3/4"	305	10	0.7	1.5
		2428-SHRBWC-12		50	2"	195	7 3/4"	304	12	0.9	1.9
		2428-SHRBWC-18		50	2"	340	13	457	18	1.2	2.5
	Tapred Shank Back out Punch	2428-SHRB0P-9				101	4	229	9	0.6	1.25
		2428-SHRB0P-10	3083 4148 50			145	5 3/4"	305	10	0.7	1.5
		2428-SHRB0P-12				195	7 3/4"	304	12	0.9	1.9
		2428-SHRB0P-18				340	13	457	18	1.2	2.5

Ace Pick Hammer Chisels **STANDARD RIVET BUSTER TOOL** Chisels are suitable for CP 4608 P, CP 4608 D, CP 4611 P, CP 4611 D, Atlas Copco TEX 14P, TEX 14D, Atlas Copco TEX 15P, TEX 15D, ACE RB 4608P, ACE RB 4608D, ACE RB4611P, ACE RB 4611D .

JUMBO RIVET BUSTER TOOLS



Image	Description	Part No	Ref Part No	Width		Working Length		Total Length		Weight		
				mm	inch	mm	inch	mm	inch	kg	lb	
	JUMBO SHANK Round Blank Chisel Point	2228-JS/SHRBL-9				101	4	229	9	0.6	1.25	
		2228-JS/SHRBL-10				145	5 3/4"	305	10	0.7	1.5	
		2228-JS/SHRBL-12				195	7 3/4"	304	12	0.9	1.9	
		2228-JS/SHRBL-18				340	13	457	18	1.2	2.5	
	JUMBO SHANK Moil Point	2228-JS/SHRMP-9				101	4	229	9	0.6	1.25	
		2228-JS/SHRMP-10	3083 4140 00			145	5 3/4"	305	10	0.7	1.5	
		2228-JS/SHRMP-12	3083 4140 10			195	7 3/4"	304	12	0.9	1.9	
		2228-JS/SHRMP-18	3083 4140 20			340	13	457	18	1.2	2.5	
	JUMBO SHANK Narrow Chisel	2228-JS/SHRCP-9				101	4	229	9	0.6	1.25	
		2228-JS/SHRCP-10	3083 4141 20			145	5 3/4"	305	10	0.7	1.5	
		2228-JS/SHRCP-12	3083 4141 10			195	7 3/4"	304	12	0.9	1.9	
		2228-JS/SHRCP-18	3083 4141 20			340	13	457	18	1.2	2.5	
	JUMBO SHANK Wide Chisel	2228-JS/SHRBWC-9			50	2"	101	4	229	9	0.6	1.25
		2228-JS/SHRBWC-10			50	2"	145	5 3/4"	305	10	0.7	1.5
		2228-JS/SHRBWC-12			50	2"	195	7 3/4"	304	12	0.9	1.9
		2228-JS/SHRBWC-18			50	2"	340	13	457	18	1.2	2.5
	JUMBO SHANK Back out Punch	2228-JS/SHRB0P-9	3083 4148 40			101	4	229	9	0.6	1.25	
		2228-JS/SHRB0P-10	3083 4148 50			145	5 3/4"	305	10	0.7	1.5	
		2228-JS/SHRB0P-12				195	7 3/4"	304	12	0.9	1.9	
		2228-JS/SHRB0P-18				340	13	457	18	1.2	2.5	

Ace Pick Hammer Chisels **JUMBO RIVET BUSTER TOOL** Chisels are suitable for CP 4608 P, CP 4608 D, CP 4611 P, CP 4611 D, Atlas Copco TEX 14P, TEX 14D, Atlas Copco TEX 15P, TEX 15D, ACE RB 4608P ACE RB 4608D ACE RB4611P, ACE RB 4611D.

RIVET BUSTER SNAP



Image	Rivet Boyer Snap Type	Size Of Rivet in inch. Size Of Rivet in MM	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1 1/8"	1 1/4"
	Flush Type Snap	D	9	13	16	19	22	25	28	32
	Button Type Snap	A	7/8"	1"	1 1/8"	1 1/4"	1 3/8"	1 1/2"	1 6/8"	1 3/4"
	Shallow Button Type Snap	A	2 1/32"	1 3/16"	1"	1 3/16"	1 3/8"	1 19/32"	1 25/32"	2"
	Liverpool Type Snap	A	2 1/32"	1 3/16"	1"	1 3/16"	1 3/8"	1 19/32"	1 25/32"	2"
	PAN Type Snap	A	3/4"	1"	1 1/4"	1 1/2"	1 3/4"	2"	2 1/4"	2 1/2"
	Cone Type Snap	A	5/8"	1 3/16"	1"	1 3/16"	1 5/16"	1 1/2"	1 11/16"	1 7/8"
	Cone Type Snap	A	41/64"	55/64"	1 3/32"	1 19/64"	1 33/64"	1 47/64"	1 61/64"	

PICK HAMMER CHISEL



(14.7 – RD 17.3 X 60 MM (HEX 9/16" – RD 11/16" X 2 3/8")
ROUND SHANK CHISEL)




Image	Description	Part No	Ref Part No	Width		Working Length		Total Length		Weight	
				mm	inch	mm	inch	mm	inch	kg	lb
	Moil Point	680-M-9	3083 3200 00			230	9	300	12	0.7	1.5
		680-M-12	3083 3200 10			350	14	420	16	0.9	1.9
	Narrow Chisel	680-C-9	3083 3201 00			230	9	300	12	0.7	1.5
		680-C-14	3083 3201 10			350	14	420	16	0.9	1.9
	Wide Chisel	680-WC-7	3083 3410 00	60	2 3/8"	175	7	245	10	0.9	1.9

Ace paving breaker chisel **Shank Hex 14.7 – Rd 17.3 x 60 mm (Hex 9/16" – Rd 11/16" x 2 3/8") Round Shank Chisel** are suitable for TEX05PSR , TEX 05 , ACE 05PS Pick Hammer.

26 mm Dia X 80 Round Shank Chisel



Image	Description	Part No	Working Length		Total Length		Weight	
			mm	inch	mm	inch	kg	lb
	Moil Point	402680-PCM-15	320	12.5	300	15	1.7	3.7
		402680-PCM-18	377	14.8	457	18	2	4.4
		402680-PCM-20	420	16.5	500	20	2.3	5
	Narrow Chisel	402680-PCC-20	320	12.5	300	15	1.7	3.7
		402680-PCC-20	377	14.8	457	18	2	4.4
		402680-PCC-20	420	16.5	500	20	2.3	5

Ace Pick Hammer Chisels **26 X 80 mm 1.0" X 3.150" Round Shank Chisel** Chisels are suitable for TOKU TCA 7A, ACE TPB 7, TCB-130B, NPK CB-15A, Furukawa CA-7, Toyo CA-7A

21 X 12 MM (0.826" X 0.472") ROUND SHANK CHISEL



Image	Description	Part No	Dia (D)		Working Length		Total Length		Weight	
			mm	inch	mm	inch	mm	inch	kg	lb
	Moil Point	ML-33-14 MP	21.8	0.85"	339	13.3"	365	14.5"	1.09	2.3
	Moil ribbed Point	ML-33-14 MP	21.8	0.85"	339	13.3"	365	14.5"	1.09	2.3
	Moil Point	ML-33-20 MP	21.8		234	9.2"	260	10.3"	0.8	1.7

Ace Pick Hammer Chisels **21 X 12 mm 0.826" X 0.472" Round Shank** Chisels are suitable for La cruz 33



23.X 14 mm (0.905" X 0.551") Round Shank Chisel



Image	Description	Part No	Dia (D)		Working Length		Total Length		Weight	
			mm	inch	mm	inch	mm	inch	kg	lb
	Moil Point	ML-37B-14 MP	23.8	0.93"	328	13"	355	14"	1.26	2.65
	Moil ribbed Point	ML-37B-14 RP	23.8	0.93"	328	13"	355	14"	1.26	2.65
	Moil Point	ML-37B-10 MP	23.8	0.93"	233	9"	260	10"	0.9	1.9

Ace Pick Hammer Chisels **23 X 14 mm 0.905" X 0.551" Round Shank** Chisel Chiesels are suitable for La cruz 37B



26 mm Dia X 70 Round Shank Chisel




Image	Description	Part No	Working Length		Total Length		Weight	
			mm	inch	mm	inch	kg	lb
	Moil Point	392670-PCM-15	330	12	400	15	1.7	3.7
		392670-PCM-18	387	15	457	18	2	4.4
		392670-PCM-20	430	17	500	20	2.2	4.8
	Narrow Chisel	392670-PCC-15	330	12	400	15	1.7	3.7
		392670-PCC-18	387	15	457	18	2	4.4
		392670-PCC-20	430	17	500	20	2.2	4.8

Ace Pick Hammer Chisels **26 X 70 mm 1.0" X 2.756" Round Shank** Chisels are suitable for ACE K 13.



3/4" X 2" (19 X 50 mm) Hex Shank Chisels



Image	Description	Part No	Ref Part No	Width		Working Length		Total Length		Weight	
				mm	inch	mm	inch	mm	inch	kg	lb
	Moil Point	1950-MP-10	3083 3220 00			250	10	300	12	0.8	1.7
		1950-MP-16				406	16	457	18	1.1	3
		1950-MP-17	3083 3221 00			440	17	500	20	1.3	2.8
		1950-MP-24	3310 1017 78			600	24	660	26	1.6	3.5
		1950-MP-39	3310 1017 79			1000	39	1060	42	2.8	6.1
	Narrow Chisel	1950-CP-10	3083 3220 00	22	7/8"	250	10	300	12	0.8	1.7
		1950-CP-16		22	7/8"	406	16	457	18	1.1	3
		1950-CP-17	3083 3223 00	22	7/8"	440	17	500	20	1.3	2.8
		1950-CP-24	3310 1017 71	22	7/8"	600	24	660	26	1.6	3.5
		1950-CP-39	3310 1017 72	22	7/8"	1000	39	1060	42	2.8	6.1
	Wide Chisel	1950-WC-8	30833 224 00	60	2 3/8"	190	7.5	250	100	0.7	1.5



Ace paving breaker chisel **3/4" X 2" (19 X 50 mm) Hex Shank** Chisels are suitable for Ace 05 PS, Atlas Copco TEX 05P , TEX 05 PS Ingersoll Rand PH3, PH5, MCDONALD AIR TOOLS 2315, 2615, PERMON SEK5-1B,C SEK6-1B,C PS4-1.

Rd 1" x 3" (25 X 75 mm) Round Shank Chisels





Image	Description	Part No	Ref Part No	Working Length		Total Length		Weight	
				mm	inch	mm	inch	kg	lb
	Moil Point	2275-MP-15	3083 3265 00	330	13	415	16	1.6	3.5
		2275-MP-18	3083 3265 10	450	18	535	21	2	4.4
		2275-MP-24	3310 1017 80	600	24	680	27	3	6.6
		2275-MP-32	3310 1017 81	800	32	880	35	3.9	8.5
	Narrow Chisel	2275-CP-15	3083 3266 00	330	13	415	16	1.6	3.5
		2275-CP-18	3083 3266 10	450	18	535	21	2	4.4
		2275-CP-24	3310 1017 73	600	24	680	27	3	6.6
		2275-CP-32	3310 1017 74	800	32	880	35	3.9	8.5



Ace paving breaker chisel **Rd 1" x 3" (22 X 75 mm) Round Shank** Chisels are suitable for TEX 09PS, TEX 09PSR, TEX 12PS, TEX 12PSR, ACE 09 PS, ACE 12PS.



Part No	Drill Depth		Bit Diameter (B)		Working Length (L)		Weight (Kg)	
	mm	inch	mm	inch	mm	inch	kg	lb
TCT-C9-13-203	203	8"	13	1/2"	330	13	0.7	1.5
TCT-C9-16-203	203	8"	16	5/8"	330	13	0.7	1.5
TCT-C9-19-203	203	8"	19	3/4"	330	13	0.7	1.5
TCT-C9-22-203	203	8"	22	7/8"	330	13	0.7	1.5
TCT-C9-25-203	203	8"	25	1"	330	13	0.7	1.5
TCT-C9-13-305	305	12"	13	1/2"	430	17	1.2	2.5
TCT-C9-16-305	305	12"	16	5/8"	430	17	1.2	2.5
TCT-C9-19-305	305	12"	19	3/4"	430	17	1.2	2.5
TCT-C9-22-305	305	12"	22	7/8"	430	17	1.2	2.5
TCT-C9-25-305	305	12"	25	1"	430	17	1.2	2.5

Ace PLUG DRILLS/ TCT RODS Chisels are suitable for CP-9A >> Sullair: MRD-9, Thor: 5LHD, APT: 109

WELD FLUX CHIPPER CHISEL




Image	Part No	Length		Weight	
		mm	inch	kg.	lb.
 BLANK	455-W-BL-7	178	7"	0.2	0.50
	455-W-BL-9	229	9"	0.3	0.65
	455-W-BL-12	305	12"	0.4	0.87
	455-W-BL-18	458	18"	0.6	1.3
 FLAT CHISEL	455-W-CP-7	178	7"	0.2	0.50
	455-W-CP-9	229	9"	0.3	0.65
	455-W-CP-12	305	12"	0.4	0.87
	455-W-CP-18	458	18"	0.6	1.3
 SCALING CHISEL	455-W-SC-7	178	7"	0.2	0.50
	455-W-SC-9	229	9"	0.3	0.65
	455-W-SC-12	305	12"	0.4	0.87
	455-W-SC-18	458	18"	0.6	1.3
 WIDE SCALING CHISEL	455-W-WS-7	178	7"	0.2	0.50
	455-W-WS-9	229	9"	0.3	0.65
	455-W-WS-12	305	12"	0.4	0.87
	455-W-WS-18	458	18"	0.6	1.3
 ANGLE CHISEL	455-W-AG-7	178	7"	0.3	0.63
	455-W-AG-9	229	9"	0.36	0.75
	455-W-AG-12	305	12"	0.46	0.97
	455-W-AG-18	458	18"	0.65	1.37

Ace Weld Flux Chipper Chisels are suitable for CP-455 L, Ace WF455L Weld Flux Chipper.



SAFETY TIPS

Several factors must be identified in the process of choosing the correct tools for any specific job application. First one must determine if the job is an 'Impact' or 'Penetrative'

WARNINGS

Failure to observe the following warnings could result in injury. Make this safety information available to users.

- Read and understand all warnings and manuals supplied with the tools(Chisel).
- Always turn off the air supply, bleed the air pressure, and disconnect the air supply hose before installing, removing, or adjusting this tool (Chisel).
- Inspect the tools & accessories for signs of irregularities such as cracks, fractures, excessive wear, or corrosion. Do not use if signs of irregularities are found.
- Always use personal protective equipment appropriate to the tools & accessory use and the material worked. This may include dust mask or other breathing apparatus, safety glasses, ear plugs, gloves, apron, safety shoes, hard hat, and other equipment.
- Tool (Chisel) is not designed for working in explosive environments or around electrical hazards.
- Do not touch this Tool(Chisel) with your hand or any other part of your body while in use.
- Never use these Tools(Chisel) as hand chisels or strike them with a hand driven hammer.
- A Tool (Chisel) due to bad handling, excessive pressure other criteria may break in use.
- Do not touch the Tool(Chisel) or percussive tool parts near accessory during or immediately after operation. A burn may result.



HOW TO AVOID UNNECESSARY TOOL BREAKAGES

1. Keep cutting edge reasonably sharp. Blunt tools cause undue strain on the steel leading to premature failure.
2. In cold weather warm the tools slightly before use.
3. Ensure that your hammer and chuck blushing are in good condition.
4. Avoid undue leverage whilst the breaker is working at full air pressure.

WARRANTY

"ACE" contractor tools/pneumatics chisel are guaranteed against defects in raw material and manufacture. Products that have been misused or modified, or that have not had the proper care and maintenance, will not be considered for warranty.

No other warranty is implied or expressed. The company's liability in respect of any warranty claims is limited to replacement and does not extend to any other expenditure incurred or to any consequential damage.



Ace Pneumatics Pvt. Ltd.

POWER
TECHNOLOGY
AND
TRUST

ACE PNEUMATICS

Manufacturer & Suppliers of High-Quality
Mining, Construction, Demolition Tools.

Plot no. G-126 M.I.D.C.
Ahmednagar-414111,
Maharashtra, India
info@aceneumatics.com
www.acepneumatics.com

